

The diagram illustrates a protein purification and analysis workflow. At the top, a mixture of various proteins (represented by different shapes: triangles, circles, and squares) is shown. These proteins are immobilized on an agarose gel. The gel is then treated with Protein A and IgG to purify specific proteins. The purified proteins are then analyzed by MALDI mass spectrometry, resulting in a mass spectrum showing relative intensity versus m/z . The spectrum shows three distinct peaks, each labeled with a protein symbol (a triangle, a star, and a square).

/




FIG. 3

09324429.034.00




FIG. 4




FIG. 5




FIG. 6




FIG. 7

0 0.5 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 11 11.5 12 12.5 13 13.5 14 14.5 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 20.5 21 21.5 22 22.5 23 23.5 24 24.5 25 25.5 26 26.5 27 27.5 28 28.5 29 29.5 30 30.5 31 31.5 32 32.5 33 33.5 34 34.5 35 35.5 36 36.5 37 37.5 38 38.5 39 39.5 40 40.5 41 41.5 42 42.5 43 43.5 44 44.5 45 45.5 46 46.5 47 47.5 48 48.5 49 49.5 50 50.5 51 51.5 52 52.5 53 53.5 54 54.5 55 55.5 56 56.5 57 57.5 58 58.5 59 59.5 60 60.5 61 61.5 62 62.5 63 63.5 64 64.5 65 65.5 66 66.5 67 67.5 68 68.5 69 69.5 70 70.5 71 71.5 72 72.5 73 73.5 74 74.5 75 75.5 76 76.5 77 77.5 78 78.5 79 79.5 80 80.5 81 81.5 82 82.5 83 83.5 84 84.5 85 85.5 86 86.5 87 87.5 88 88.5 89 89.5 90 90.5 91 91.5 92 92.5 93 93.5 94 94.5 95 95.5 96 96.5 97 97.5 98 98.5 99 100




FIG. 9




FIG. 12

U.S. Pat. No. 4,444,444




FIG. 14

093E4422 03.4.00